

DEMKO CERTIFICATE

Certificate No. 149109-01
Page 1/3
Date of Issue 2009-11-12

Certificate Holder ULTRAVOLT INC
SUITE 2, 1800 OCEAN AVE
RONKONKOMA NY 11779, UNITED STATES

Manufacturer ULTRAVOLT INC
SUITE 2, 1800 OCEAN AVE
RONKONKOMA NY 11779, UNITED STATES

Production site ULTRAVOLT INC
SUITE 2, 1800 OCEAN AVE
RONKONKOMA NY 11779, UNITED STATES

Certified Product Component Power Supply
Model See appendix

Trademark



Rated Voltage / Frequency See appendix
Rated Current / Power See appendix
Insulation Class I
Degree of protection (IP) X0
Tested acc. to EN 60950-1:2006 + A11:2009
Test Report No. E175165-A3-CB-2 issue date 2009-10-30, Correction 1
2009-11-09
Additional for building-in
Expire date 2019-10-30

Certification Manager
Jan-Erik Storgaard

Certification Body

The product and production sites listed on the certificate comply with the D-mark requirements and the UL Global Service Agreement, with reference to Terms and Conditions for the D mark. The Owner of the certificate is entitled to use the ® or for cables «DEMKO» for the products listed on the certificate and manufactured at the production sites listed. UL has to be informed in writing about any changes to the product or production site in accordance with the Term and Conditions of the D mark. The validity of the certificate is shortened if the EU legislation require re-testing and re-certification due to new standards or amendments coming into force before the expiry date.

UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com

Appendix DEMKO CERTIFICATE

Certificate No. 149109-01
Page 2/3
Date of Issue 2009-11-12

Model:

Series 10 A to 40 A, Triple Output "AUX"
Model Numbers may be followed by -25PPM suffix.

Technical information :

Series 10A to 40A
Input: 12 or 24 Vdc, 0.15-1.7 A
Output: 10-40KV, 0.1-3mA

Triple Output AUX

Input: 12 or 24 Vdc, 0.2-1.9 A
Output: 0-1500V, 0-2mA

Triple output AUX series provides adjustable second and third outputs for Series 10 A to 40 A models.

Nomenclature For Models 10A To 40A

Example: 10A12-P4-C

10 = Output Voltage (KV), A = Model Type, 12 = Input Voltage,
P = Output Polarity, 4 = Power (W), C = Option (Case)

Model Numbers -

10A12	20A12	30A12	40A12
10A24	20A24	30A24	40A24
15A12	25A12	35A12	
15A24	25A24	40A24	

Nomenclature For Triple Output AUX Models

Example: 15AUX4-F1200-G450-C

15 = Voltage, AUX = Model Series, 4 = Main Output Power
F1200 = Focus Output Voltage, G450 = Grid Output Voltage, C = Option (Case)


The certificate has been issued on the basis of CB certificate (CB Test certificate) No. US/14412/UL, issued by Underwriters Laboratories, dated 2009-10-30

Certification Body

UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com

Appendix DEMKO Certificate

Certification Mark	D-mark
Certificate No.	149109-01
Page	3/3
Date of Issue	2009-11-12



Certification Body

UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com